



कठपुतली
KATHPUTLI
LAMINATES

A quality product from:



SRI BALAJEE INDUSTRY
Email: sribalajee.plywood@gmail.com | www.kathputliply.in

TOLL FREE NO. 999 999 9999

Printed ADULT 031193288

...
कठपुतली
KATHPUTLI
LAMINATES
|
Isko Lagaooge
Sab Bhool Jaoge
...



SCAN TO
DOWNLOAD
E-FOLDER

कठपुतली
KATHPUTLI
LAMINATES

Isko Lagaooge
Sab Bhool Jaoge

The
BEIST
LAMINATE
COLLECTIONS



REINVENT YOUR INTERIOR

KATHPUTLI
LAMINATES



Unlike ordinary laminates, KATHPUTLI with its quality, variety and style intends to touch the deepest chord in people's hearts. The unlimited beauty brings home, the vastness of the Sky, the depth of the Seas and the intensity of the Fire. KATHPUTLI designs are always clear, fresh and brighter and also last longer.

After buying **KATHPUTLI**, a user is free from the worries of maintaining, renovating and caring for the product. KATHPUTLI do not need care but it protects furniture wherever, it is used.



“INSIDE DECORATIVE STORY,”


KATHPUTLI
LAMINATES




Isko Lagaooge
Toh **Sab Bhool Jaoge**



ELITE VENEER pg 05 / 08	EXOTIC WOOD pg 09 / 10	HORI ZENTO pg 11 / 12	VERICO WOOD pg 13 / 14
LINE ART pg 15 / 16	STONE ART pg 17 / 20	HIGH GLOSS STONE ART pg 21 / 22	GLOSSY METAL pg 23 SPARKLE pg 24
VIBRANT SOLID pg 25 / 26	GLOSSY WOOD pg 27 / 42	ARTISTIC GLOSS pg 43 / 44	DOTTED OAK pg 45 / 48
OCEAN WAVES pg 49 / 50	URBAN BOX pg 51 / 52	BLOSSOM BUDS pg 53 / 54	CREEPERS pg 55 / 56
HEXONART pg 57 / 58	SANDY WAVES pg 59 / 60	HORIZONTAL WAVES pg 61 / 62	SUEDE FINISH WOODEN pg 63 / 70



34310 (SF)



22310 (EV)

PREMIUM

★ Smooth Finish of Texture 22310 (EV)





22202 (EV)

PREMIUM



34202 (SF)

★★



34354 (SF)



34214 (SF)

★



34252 (SF)

★★



34250 (SF)

★★★



22214 (EV)

PREMIUM



★ Smooth Finish of Texture 22214 (EV)

★★ Smooth Finish of Texture 22252 (EV)

★★★ Smooth Finish of Texture 22250 (EV)







24310 (EW)



24268 (EW)




24244 (EW)




24320 (EW)



26282 H (HZ)




26342 (HZ)



26222 H (HZ)



26244 H (HZ)



26270 H (HZ)



26206 H (HZ)






28304 (VW)



28244 (VW)



28310 (VW)



28308 (VW)



34308 (SF)



★ Smooth Finish of Texture 28308 (VW)



34310 (SF)




★★ Smooth Finish of Texture 28310 (VW)



30220 (SF)

★ Smooth Finish of Texture 30220 (LA)



30222 (SF)

★ ★ Smooth Finish of Texture 30222 (LA)



30062 (LA)


30206 (LA)




30342 (LA)



30206 (LA)




30062 (LA)



34354 (SF)

★ Smooth Finish of Texture 34354 (SA)



32312 (SA)

PREMIUM





Stone Art (SA)



32302 (SA)


PREMIUM





32258 (SA)

PREMIUM




32306 (SA)

PREMIUM



32236 (SA)


PREMIUM



40302 (HGS)



40312 (HGS)



40306 (HGS)



40236 (HGS)



40258 (HGS)




40330 (GM)



40332 (GM)




40382 (SK)




40384 (SK)



40386 (SK)



40388 (SK)



40334 (GM)



40336 (GM)



40338 (GM)




40390 (SK)



40392 (SK)



40394 (SK)



40350 (VS)



40342 (VS)




40344 (VS)



40346 (VS)



40348 (VS)



40352 (VS)



40354 (VS)



40356 (VS)



40358 (VS)



40360 (VS)



40362 (VS)



40364 (VS)



40366 (VS)



40368 (VS)



40370 (VS)



20186 (VS)



40374 (VS)



40376 (VS)



40378 (VS)



40224 (GW)




40220 (GW)



40222 (GW)




40320 (GW)



40234 (GW)





40268 (GW)



40040 (GW)



40214 (GW)



40216 (GW)




40010 (GW)





40008 (GW)



40256 (GW)



40254 (GW)




40252 (GW)



40250 (GW)




40308 (GW)




40310 (GW)




40206 (GW)



40226 (GW)



40208 (GW)



40062 (GW)



40210 (GW)



40232 (GW)



40230 (GW)



40212 (GW)



40264 (GW)



40304 (GW)



40244 (GW)



40224 H (GW)




40272 H (GW)



40270 H (GW)



40282 H (GW)



40316 (AG)


★ Smooth Finish of Texture 40316 (AG)




42308 (DO)



42256 H (DO)



42256 (DO)




42254 (DO)



42270 H (DO)



42062 H (DO)




42282 H (DO)



42304 (DO)




42244 (DO)



42264 (DO)




44234 (OW)




44210 (OW)



44342 (OW)






46210 (UB)



46342 (UB)




46234 (UB)



46226 (UB)





52376 (BB)



52342(BB)




50206 (LL)
PG. 56

52342(FL)

52240 (FL)





52240 (BB)




50230 (CP)




Creepers



50344 (CP)



50206 (CP)



48254 (HT)



48210 (HT)



48212 (HT)




48342 (HT)






56234 (SW)



56314 (SW)




56342 (SW)






Horizontal Waves (HW) LAMINATE



54210 (HW)



54342 (HW)




Horizontal


Waves (HW)



54224 (HW)



60234 (SF)



60216 (SF)



60062 (SF)



60036 (SF)



60206 (SF)



60268 (SF)




60304 (SF)



60244 (SF)



60262 (SF)



60260 (SF)




60226 (SF)



60208 (SF)



60256 (SF)



60254 (SF)



60210 (SF)




60230 (SF)



60264 (SF)



60242 (SF)



60040 (SF)



60232 (SF)




60282 H (SF)




60218 (SF)



60272 (SF)




60228 (SF)




60270 H (SF)



40350 (SC)




40352 (SC)



40362 (SC)



20186 (SC)




40342 (SC)




40354 (SC)




40364 (SC)



40374 (SC)



40344 (SC)




40356 (SC)



40366 (SC)



40376 (SC)



40346 (SC)



40358 (SC)



40368 (SC)



40378 (SC)



40348 (SC)



40360 (SC)



40370 (SC)



ISO 9001:14001: 2008 CERTIFIED COMPANY

TECHNICAL SPECIFICATIONS:

PROPERTIES	SPECIFIED VALUES AS PER ISI	
Resistance to surface ware	> 200 (revolutions)	✓
Resistance to immersion in boiling water-Mass increase (%) - Thickness increase (%) - Appearance	8 (Maximum) 10 (Maximum)	✓
Resistance to dry heat 180 c	Not worse than 4	✓
Dimensional stability at deviated temperature-Longitudinal (%) - Transverse (%)	0.5 (Maximum) 0.9 (Maximum)	✓
Dimensional stability at 20 c-Longitudinal (%) - Transverse (%)	0.375 (Maximum) 0.60 (Maximum)	✓
Resistance to impact by small diameter bal	17.5N (Minimum)	✓
Resistance to cracking	Not worse than 4	✓
Resistance to scratching	2 N (Minimum)	✓
Resistance to staining	Not worse than 5	✓
Resistance to colour change (wool standards)-In xenon arc light - In enclosed carbon arc light	Not worse than 6 Not worse than 5	✓
Resistance to cigarette burns	Not worse than 3	✓
Resistance to steam	Not worse than 4	✓
Appearance	Should be free from foreign particles	

FEATURES:

A complete dimensionally stable product with the unique resistance power against

• Surface Wear • Immersion in Boiling Water • Cigarette Burns • Any kind of Stain • Scratching

PRODUCT SPECIFICATION:

Product : Paper based Decorative Laminate Sheets
Size : 2440x1220mm

Finish : Ultra Gloss, Ultra Gloss Solid, SF and Exclusive Textures

Maintenance : Clean with mild soap solutions or house hold detergent, abrasive cleaners should not be used, it is recommended for vertical use only. Avoid direct sunlight,

Resistance : To surface wear, immersion in boiling water, dry heat, impact by small dia. Ball, cigarette burns, staining scratches, color change in xenon light.

• Guaranteed Thickness. • High Quality Back Sanding. • The samples shown in the Shade Chart are only indicative of the color patterns & shades available • Company warrants that all its products are free from manufacturing defects and perfectly fit for use under normal conditions. In case of any claims, the liability of the Company is however limited to the cost of the product only

The samples shown inside the folder are for reference purpose only. For actual thickness and back sanding please refer to the sample shown below...

